


Manuelle Schneidemaschinen
Schwungrad Aufschnittmaschine.



The flywheel slicer mod. 285/06 can work exclusively manually.

With blade 285mm. it has been manufactured to cut all kind of cold cuts. Entirely made in aluminium and stainless steel it can be provided with the cast iron support of the same colour of the machine

Schwungrad Aufschnittmaschine.

Messer 285 mm.

Sie wurde zum Schneiden von Wurstwaren jeder Art und besonders von rohem Schinken Konzipierten. Auf Wunsch kann sie mit Standfuß, der in 2 Ausführungen, einer aus Metall und einer aus Gusseisen, verfügbar ist, in der gleichen Farbe wie die Maschine geliefert wird.

The flywheel slicer 330/83 can work exclusively manually.

It has been made to cut all kind of cold cuts and particularly for "prosciutto".

Entirely made in aluminium and stainless steel it is available red or metalized grey colour.

On request it can be provided with its special support in the same colour of the machine

available in 2 versions, one in iron and one in cast iron.


Schwungrad Aufschnittmaschine.

Messer 330 mm.

Sie wurde zum Schneiden von Wurstwaren jeder Art und besonders von rohem Schinken Konzipierten.


Auf Wunsch kann sie mit Standfuß, der in 2 Ausführungen, einer aus Metall und einer aus Gusseisen, verfügbar ist, in der gleichen Farbe wie die Maschine geliefert wird.





The flywheel slicer mod. 370/85 can work exclusively manually.

The flywheel slicer 370/85 can work exclusively manually. It has been made to cut all kind of cold cuts and particularly for "prosciutto". Entirely made in aluminium and stainless steel it is available red or metalized grey colour. On request it can be provided with its special support in the same colour of the machine available in 2 versions, one in iron and one in cast iron.



The flywheel slicer 370/81 has been projected to cut all kind of cold cuts and particularly for "prosciutto".

The slicer can be utilized in 3 different ways :

- * manual movement of the blade and of the carriage by the flywheel
- * electrical movement of the blade and manual movement of the carriage by the flywheel
- * fully automatic movement of the blade and of the carriage by fitting the clutch device.

Entirely made in aluminium and stainless steel with electromechanical movement of the gauge plate, it is available red or metalized grey colour. On request it can be provided with its special support in the same colour of the machine available in 2 versions, one in iron and one in cast iron.



COLONNA DI SUPPORTO IN FERRO

IRON SUPPORT FOR FLYWHEEL SLICERS

		330/83
A	Fußabstand	570
B	Distanz zwischen Laufanfang und Messerschutz	830
C	Max.Distanz zwischen An.-und Endlauf	830
D	Fußabstand	400
E	TotaleBereite	710
F	Plattenlänge	290
G	Plattenbereite	330

